

# INDEX

## A

- Acrothele* ? *richmondensis*, 383, 384, 392  
*Alexandrian* series, 411; relation to *Maquoketa*, 318, 349, 354  
 Allamakee county, exposures in, 334, 336; fossils from, 403, 420; *Galena-Maquoketa* contact in, 382; structure of *Maquoketa* in, 360  
*Amphilichas bicornis*, 395  
*Anaphragma mirabile*, 369, 392  
*Anolotichia crassa*, 391  
 Anticosti, connection with Mississippi valley, 325; *Maquoketa* fossils from, 409  
*Aparchites fimbriatus*, 395  
 Appalachian region, Clinton ore of, 356  
*Archimacella rotunda*, 394  
 Arctic regions, *Maquoketa* fossils from, 327, 409; seas from, 326  
 Arkansas, Cason shale in, 311, 407; Depauperate fauna in, 311; *Maquoketa* beds in, 407  
*Armenoceras*, 409; *clermontense*, 394  
 Arnheim beds of Ohio valley, 310; relations, 368-370  
*Arthropora shafferi*, 384, 392  
*Astylospongia*, 391  
*Atactoporella*, 391  
 Auburn, limestone at, 350, 352

## B

- Bain, H. F., cited, 341, 342, 346, 374, 383, 412  
 Bassler, R. S., acknowledgments, 313; cited, 368, 412, 416  
 Barren middle beds of *Maquoketa*, 343  
 Barrier, near Mississippi valley, 311, 410  
 Basal conglomerate of *Alexandrian*, 411; of *Devonian*, 358, 411; of *Niagaran*, 354  
*Batostoma*, 392; *rugosum*, 392  
*Bellerophon*, 383; *lirata*, 383, 384, 394; *paterstoni*, 366, 383, 384  
 Bellevue, exposures near, 339, 341, 350, 379; graptolites at, 386  
*Beloitoceras discrepans*, 394; *whitneyi*, 384, 394  
 Beyer, S. W., cited, 412  
*Beyrichia parallela*, 370, 395  
 Big Bay de Noquette, strata on, 322, 362

- Big Horn dolomite, position, 326  
 Bill's creek, Michigan, strata on, 324, 362, 367  
 Bill's Creek beds, Michigan, age, 364, 367  
 Black River strata in Michigan, 364, 365; of Minnesota, 374  
 Blanchester formation of Ohio, 327  
 Blue Limestone and Marls of Ohio, age, 320  
 "Blue Shale", position, 321  
 Boscobel, Wis., Dubuque beds near, 345  
 Bradley, Frank H., cited, 412; study of *Maquoketa* shale, 323  
 Bradley, John H., Jr., cited, 381, 412  
 Brainard, exposures near, 329, 337  
 Brainard shales, 309; character, 329, 332; exposures, 337, 359; fossils from, 391; relations, 368, 369; selenite crystals from, 337; illustr., 436  
 Branson, E. B., cited, 412  
 Brassfield formation of Ohio, 350  
*Bumastus*, 386  
 Burchard, E. F., cited, 342, 383, 413  
 Burroughs dolomite, age, 351  
*Byssonchia*, 394; *tenuistriata*, 394  
*Bythocypris*, 384, 395  
*Bythopora delicatula*, 392; *meeki*, 392; *striata*, 392

## C

- Calloporella* ? *lens*, 392  
 Calvin, Samuel, cited, 312, 341, 342, 346, 351, 374, 383, 387, 412; study of *Maquoketa* shale, 321, 329, 332  
*Calymene*, 385; *fayettensis*, 395; *gracilis*, 395; *mammillata*, 384, 395  
 Canada, studies of *Maquoketa* in, 312  
 Cape Frazier, fossils from, 310, 397  
*Carabocrinus*, 327; *slocomi*, 391; *slocomi costatus*, 391  
 Carman, J. E., cited, 412  
 Cascade Gulch, exposure in, 335-337  
 Cason shale of Arkansas, 311, 407  
 Cephalopods in *Vogdesia* beds, 387  
*Ceramoporella irregularis*, 391  
*Ceraurus elginensis*, 395  
 Chamberlin, T. C., cited, 356, 412  
*Charactoceras*, 409; *baeri*, 394; *clermontense*, 394; *laddi*, 340, 394  
*Chasmatopora*, 392  
 Chicago Great Western R. R., cuts by, at Graf, 341

- "Cincinnati Group", position, 322, 323;  
 in Illinois, 323, 324  
 Cincinnati faunas, 407  
 Clarke, John M., cited, 412  
 Clathrospira, 384  
 Clayton county, Depauperate zone in,  
 376, 377; exposures in, 333, 343; struc-  
 ture of beds in, 360  
 Clement, Mo., exposure at, 344  
 Clermont, exposures near, 329, 387, 388;  
 shale pit at, 322, 336, 337  
 Clermont shales, 309; character, 329,  
 333, 371; deposition of, 410; expo-  
 sures, 336; fauna, 388, 391  
 Clidophorus, 363; faberi, 369; fabula,  
 369; neglectus, 384, 393; planulatus,  
 373  
 "Cliff limestone" in Maquoketa area,  
 320  
 Climacograptus (Mesograptus) putillus,  
 391; ulrichi, 391  
 Clinton county, exposures in, 344; in-  
 lier in, 318, 328  
 Clinton ore of Appalachian region, 356  
 Coleolus, 366; iowensis, 343, 347, 369,  
 383, 384, 394  
 Colorado, Fremont limestone in, 326;  
 Richmond fossils in, 409  
 "Cone-in-cone" structure, 381  
 Conocardium, 384, 394  
 Conotreta obliqua, 347, 384, 392  
 Constellaria polystomella, 392; punc-  
 tata, 392; robusta, 392  
 Conularia, 394; pumila, 384, 394; putil-  
 la, 384, 394  
 "Coralline beds of Dr. Owen", posi-  
 tion, 321  
 Cornulites, 369; sterlingensis, 338, 388,  
 391  
 Cornulites zone, age, 310, 368; ex-  
 posures, 338, 340, 344, 359, 388; fos-  
 sils from, 310, 369, 387, 389, 391, 402,  
 420; illustr., 432, 434; relations, 355,  
 370, 371  
 Correlation of Maquoketa shale, 319 ff,  
 362  
 Corryville beds, relations, 369  
 Corynotrypa curta, 391; delicatula, 391  
 Coulter valley, 317  
 Cox, G. H., cited, 412  
 Crane, G. W., cited, 412  
 Crania, 392  
 Crepipora peculiaris, 391  
 Ctenodonta, 369, 374; calvini, 393;  
 fecunda, 347, 366, 383, 384, 393; fill-  
 morensis, 393; obliqua, 383, 384, 393;  
 recurva, 393; simulatrix, 393  
 Cumings, E. R., cited, 412  
 Cybeloides iowensis, 395  
 Cyclodoceras, 409; atkinsonense, 385,  
 394; clermontense, 394  
 Cyclonema, 394; jacksonense, 394  
 Cyclora, 384, 394; depressa, 369; hoff-  
 manni, 369; minuta, 369; parvula, 369  
 Cyclora limestones, relations, 369  
 Cyrtoceras, 346  
 Cyrtodonta grandis luculenta, 393  
 Cyrtolites, 385; conradi, 383, 384, 394;  
 disjunctus, 394
- D**
- Dalmanella, 345, 347, 352, 366, 369, 384,  
 393; corpulenta, 393; macrior, 393;  
 porrecta, 393; testudinaria, 351, 383  
 Daniels, Edward, cited, 373, 412; study  
 of Maquoketa shale, 321  
 Davis, Arthur Kyle, Jr., acknowledg-  
 ments, 313  
 Decorah, exposure near, 375  
 Deformation of Maquoketa shale, 361  
 Delaware county, structure of beds in,  
 360  
 Dendrocrinus kayi, 391  
 Depauperate fauna, character, 349, 371;  
 distribution, 310; map, 440; fossils,  
 383, 391; living conditions, 407; rela-  
 tions, 368; in Arkansas, 311; in Mich-  
 igan, 310, 407  
 Depauperate zone, age, 310; character,  
 371, 373; exposures, 334, 340, 375;  
 fauna of, 310, 407; illustr., 422; phos-  
 phate in, 348, 376 ff; position, 375;  
 sections, 375; in Arkansas, 311; in  
 Clayton county, 376; in Dubuque  
 county, 378; in Fayette county, 376,  
 377; in Illinois, 380, 381; in Jackson  
 county, 379; in Michigan, 366; in  
 Missouri, 381; in Winneshiek county,  
 375  
 Des Moines sandstone, contact with  
 Maquoketa, 319, 359, 361, 411  
 Devonian, basal conglomerate of, 358,  
 411; contact with Maquoketa, 318,  
 358  
 Diastrophism, basis of stratigraphy, 357  
 Dicranopora emacerata, 338, 392; fra-  
 gilis, 369, 392  
 Dinorthis proavita, 393; subquadrata,  
 327, 402; (Plaesiomys) subquadrata  
 occidentalis, 393; descr., 402; distr.,  
 403; illustr., 420  
 Diploclema varians, 369, 391  
 "Diplograptus beds" of Sardeson, 374,  
 386  
 Diplograptus peosta, 340, 341, 343, 347,  
 378, 383, 384, 386, 391  
 Diplotrypa obscura, 384, 392  
 Dips in Maquoketa shale, 360  
 Dover Mills section of Maquoketa, 332,  
 334, 385  
 Drainage of Maquoketa area, 317  
 Drepanodus acinaciformis, 347, 366, 384,  
 394  
 Driftless area, topography, 313

- Dubuque, type exposure of Maquoketa near, 323
- Dubuque county, Ctenodonta bed in, 374; Depauperate zone in, 378; exposures in, 330, 343, 344, 352; Graf section in, 341; iron ore in, 356; structure of beds in, 360
- Dubuque dolomite, age, area, character, named, 318, 345; relation to Maquoketa, 318, 406; section of, 346; see also Galena
- Dubuque-Maquoketa contact, character, 345
- Dwarf faunas, character, 372
- E**
- Eagle Point anticline, 360
- Ectenocrinus raymondi, 391
- Eden beds, 347
- Edgewood limestone of Missouri, 350; distribution, 352; relations to Maquoketa, 318
- Eldorado, exposures near, 337
- Elgin, exposures near, 329, 330, 387
- Elgin fauna, northern derivation of, 410
- Elgin shaly limestones, 309; character, 329, 333; deposition, 409; fossils from, 385, 391, 397, 403, 405, 406, 418, 420; illustr., 430; same as Wykoff, 368
- Elkader, section at, 346
- Elkhorn beds of Ohio valley, 310; relations, 368-370
- Ellesmereland, fossil from, 418
- Encrinurus cristatus, 395
- Endoceras, 373; kayi, 394
- Ensign, Mich., exposure near, 367
- Ephippiorhynchus, 409; laddi, 384, 394
- Eridotrypa brainardensis, 392; simula-trix, 392
- Erosion of Maquoketa shale, 314
- F**
- Fauna, dwarf, of Tully pyrite, 407
- Fauna of Elgin member, 409
- Faunal lists of Maquoketa fossils, 390; zones of the Maquoketa, 370
- Faunas, dwarf, character, 372; normal, character, 372
- Fayette county, Cornulites fauna in, 390; Depauperate zone in, 376; exposures in, 329, 332, 334-339; Kankakee beds in, 353; structure of beds in, 360
- Fenestella granulosa, 392
- Fernvale limestone, age, 368; fossils in, 410; relations, 368, 369, 406
- Fenton, C. L., cited, 412
- Fenton, M. A., cited, 412
- Fillmore county, Minn., exposure in, 334
- Fish Haven dolomite, position, 326
- Florenceville, exposure at, 358
- Foerste, Aug. F., acknowledgments, 313; cited, 409, 410, 412, 415; study of cephalopods, 311, 390; study of Maquoketa, 325-327, 364
- Fort Atkinson, exposures at, 336, 389; fossils from, 397
- Fort Atkinson fauna, character, 410
- Fort Atkinson limestone, 309; character, 329, 333; exposures, 329, 336; fauna, 371, 389, 391, 397, 399, 418; position, 325
- Fossils of Maquoketa shales, 391
- Foster, J. W., cited, 413; study of Maquoketa shale, 320
- Frankfort shales of New York, position, 322
- Fremont limestone, position, 326
- Fusispira bed, 346
- G**
- Galena Junction, Ill., exposure near, 349
- Galena limestone, character, 345; exposures of, 339, 375, 376, 379; in Maquoketa area, 320; in northeastern Iowa, 314; relations, 406; topography on, 315; see also Dubuque dolomite
- Galena-Maquoketa contact in Allamakee county, 382; in Dubuque county, 378
- Geisonoceras ? clermontense, 394
- Girardeau limestone of Missouri, 354
- Glossograptus, 366; mucronatus, 391
- Glyptorthis, see Hebertella
- Goldman, M. I., cited, 348, 413
- Goocher quarry, exposure in, 334
- Goose Lake channel, 317, 328
- Gordon, C. H., cited, 413
- Graf, graptolites at, 386; section of Maquoketa shale, 341
- Granger, Minn., exposure at, 334
- Grant, U. S., cited, 342, 383, 413
- Graptolite zone in the Maquoketa, 371; exposures of, 340; fossils from, 310
- Graptolites in Isotelus zone, 385
- "Gray Limestone", position, 321
- "Green and Blue shales and limestone", position, 322
- Green Bay, "Blue Shale" on, 321; Maquoketa beds on, 362
- Greenland, Maquoketa fossils from, 409
- Grout, Frank F., cited, 413
- H**
- Hall, C. W., cited, 413
- Hall, James, cited, 320-322, 362, 383; study of Maquoketa shale, 320-322, 362
- Hallopora, 392; fayettensis, 392; per-similis, 392; subnodosa, 392
- Hanover, Ill., Depauperate zone at, 380
- Hebertella bellarugosa, 401; insculpta, 327, 400; (Glyptorthis) insculpta maquoketensis, 393; descr., 399; distr.,

- 401; illustr., 418, 420; *occidentalis*, 402; *sinuata prestonensis*, 337, 393; descr., 401; distr., 402; illustr., 420; *subjugata*, 402
- Helopora elegans*, 369, 392; *thomasi*, 392
- Hemiphragma nodosa*, 392
- Heterotrypa*, 392
- Hindia parva*, 347, 383, 384, 391
- History, geological, of Maquoketa shale, 406
- Holtehdahlina atkinsonensis*, 393
- Homotrypa nodulosa*, 391; *wortheni*, 391
- Homotrypella rustica*, 391
- Hopkinton dolomite, deposition, 411; exposures, 338, 339, 359; relations, 318, 354, 355; topography on, 315; in northeastern Iowa, 314
- Hormotoma*, 342, 366, 384, 394; *gracilis multivolvus*, 394
- Houser, G. L., cited, 408
- Howard county, exposures in, 334, 359
- Howell, Jesse V., cited, 356, 413
- Hudson Bay, Paleozoic rocks near, 326
- "Hudson-river Group" in New York, 320; position, 324
- Hussey, R. C., cited, 364, 413; study of Maquoketa shale, 320, 327
- Hyolithes dubius*, 369; *parviusculus*, 343, 369, 383, 384, 394; *versaillesensis*, 369
- I
- Illinois, basal conglomerate in, 354; Cincinnati group in, 323, 324; Depauperate zone in, 380, 381; Edgewood limestone in, 353; Kankakee limestone in, 351; Maquoketa exposures in, 344, 349, 350; studies of Maquoketa in, 312; unconformity under Maquoketa, 349
- Indiana, strata in, 370; studies of Maquoketa in, 312
- Inlier of Maquoketa, 318, 328, 361, 411
- Iowa Geological Survey, reports on Maquoketa, 312
- Iowacystis sagittaria*, 391
- Iowan drift area, topography on, 316
- Iowan glacier, work of, 316
- Iron ore in Dubuque county, 356
- Ischadites*, 346
- Isotelus*, 363; *iowensis*, 333, 334, 366, 385, 387, 394; *maximus*, 385; *rejuvenis*, 385, 395
- Isotelus maximus* zone, character, 333
- Isotelus* zone, 371; exposures, 333; fossils in, 385; illustr., 424, 426
- J
- Jackson county, Cornulites zone in, 390; Depauperate zone in, 379; exposures in, 339, 343, 344, 353, 359; fossils from, 402, 420; Maquoketa inlier in, 318, 328; structure of beds in, 360; Winston limestone in, 350
- James, J. F., cited, 341, 346, 383, 413; study of Maquoketa shales, 319, 324
- James Bay, Paleozoic rocks near, 326
- Jones, O. T., cited, 357, 413
- K
- Kankakee limestone in Fayette county, 353; in Illinois, 350; relations to Maquoketa, 318
- Kansan drift in northeastern Iowa, 316
- Kansan glacier, work of, 316
- Kentucky, strata in, 369
- Keyes, C. R., cited, 413
- Kimmswick limestone, unconformity above, 349
- Kionoceras postvillense*, 394; *tenuitectum*, 384, 394; *thomasi*, 384, 394
- Kirk, Edwin, cited, 397, 398, 413
- L
- Ladd, Harry Stephen, Maquoketa shale of Iowa, 305; cited, 414
- Lake Winnepeg, strata near, 326
- "Lamellibranch zone", 374
- Lane, A. C., cited, 414
- Larrabee, William, exposure on land of, 355
- Lasiograptus*, 391
- Leonard, A. G., cited, 312, 414
- Lepidocoleus*, 384, 391
- Leptaena*, in "Blue Shale", 321; *raymondi*, 393; *unicostata*, 393
- Leptobolus occidentalis*, 343, 347, 374, 382-384, 392
- Liberty beds, relations of, 368
- Lichenocrinus minutus*, 391
- Limonite in Maquoketa shale, 349, 376
- ff
- Lindströmia solearis*, 310, 337, 371, 389, 391; descr., 397; distr., 399; illustr., 418
- Lingula*, 343, 347, 352, 373, 380, 383; *beltrami*, 371, 392; *changi*, 364, 366, 384, 392; *iowensis*, 345; *quadrata*, 354
- Lingulasma schucherti*, 392
- Lingulops whitfieldi*, 392
- Lioclemella annulifera*, 392; *fusiformis*, 392; *solidissima*, 392
- Liospira micula*, 347, 366, 383, 384, 394
- Little Bay de Noquette, strata on, 320, 362
- Little Maquoketa river, drainage by, 317; exposures on, 330
- Locke, John, cited, 414; study of Maquoketa shale, 319
- Loess-Kansan area, topography on, 316
- Loomis, F. B., cited, 372, 407
- Lophospira*, 366, 383, 384, 394; *quadrisculata*, 394
- Lore Hill, iron ore at, 356

Lorraine shales of New York, position, 322  
 Lower Brainard shales, character, 338  
 Lyckholm beds of Russia, 345

## M

McCune limestone in Missouri, 381  
 McGee, W. J., cited, 414; study of Maquoketa shale, 325  
 Maquoketa area, drainage, 317; physiography, 313; relief, 313  
 Maquoketa fauna, origin in north, 326; resemblance to Utica fauna, 325  
 Maquoketa fossils, lists of, 390; from Arctic regions, 397, 409  
 Maquoketa river, drainage by, 317  
 Maquoketa shale of Iowa, 305; age, 309, 323, 357; area, 309, 311, 323; character, 323, 329; columnar section, 331; conglomerate in, 355; correlation, 324, 362; dips in, 360; distribution in Iowa, map, 439; distribution, general, map, 438; divisions, 329; erosion, 411; extent, 326; faunal zones in, 370, 391; fossils in, 311, 383, 384, 390; general section, 332; geological history, 406; Graf section, 341; graptolite zone in, 386; inlier of, 318, 328, 361, 411; interpretations, 311; members, 309; named by White, 322, 329; of Richmond age, 357; outcrops, distribution, 328; overlying rocks, 309; pebbles from, illustr., 437; phosphate in, 348, 376 ff; previous study, 312; relation to Silurian formations, 318; relation to underlying rocks, 346; resistance to erosion, 314; soil under, 349; stratigraphy, 318; structure, 360; studies in Canada, Illinois, Indiana, Michigan, Missouri, Ohio, Ontario, 312; topography on, 315; typical localities, 323, 331; underlying rocks, 309  
 Maquoketa shale, northwest area, 309, 332; faunal zones in, 370 ff, 386; members in, 329, 332; southeast area, 309, 339; exposures in, 330, 339; faunal zones in, 370 ff  
 Maquoketa-Alexandrian contact, 349  
 Maquoketa-Des Moines contact, 359  
 Maquoketa-Devonian contact, 358  
 Maquoketa-Niagara contact, 354  
 Mastigograptus gracillimus, 391  
 Maysville beds, 347  
 Mead, D. W., cited, 414  
 Meek, F. B., cited, 396, 414; study of Maquoketa shale, 322  
 Meekospira subconica, 394  
 Mesotrypa, 392; maquoketensis, 391; patella delicatula, 392  
 Michigan, Black River beds in, 365; Depauperate fauna in, 310, 366;

"Hudson-river Group" in, 320; Maquoketa beds in, 407; relation of Richmond in, to Maquoketa, 362; Richmond in, 310, 327; studies of Maquoketa in, 312, 364-367; Upper Peninsula, map, 363  
 Microceras inornatum, 369; patersoni, 394  
 Miller, Hugh, cited, 374  
 Minnesota, fossils from, 406, 420  
 Mississippi river, drainage by, 317; exposures along, 339  
 Mississippi valley, barrier near, 311, 410  
 Missouri, Depauperate zone in, 381; Edgewood limestone in, 351; Maquoketa exposures in, 344; Orchard Creek and Girardeau beds in, 354; studies of Maquoketa in, 312; unconformity under Maquoketa, 349  
 Modiolopsis, 373; excellens, 394  
 Mohawkian beds, relations, 369  
 Mount Auburn beds, relations, 369  
 Mount Hope beds, relations, 369

## N

"Neda Iron Ore" in Iowa, 356  
 Niagaran series, basal conglomerate in, 354; contact with Maquoketa, 354; relation to Maquoketa, 318; topography on, 315  
 Nileus vigilans zone, character, 333  
 Northwest area of Maquoketa shale, 309, 332; deposition in, 409; faunas in, 310; graptolite zone in, 386; members, 329, 332  
 Norton, W. H., cited, 414  
 Nucula, 363; poststriata, 373  
 "Nucula shale", fossils in, 373; position, 321  
 Nuculaformis, 373

## O

Ohio, Blanchester formation in, 327; studies of Maquoketa in, 312  
 Ohio valley, Richmond beds in, 310, 357, 368  
 Oklahoma, Sylvan shale in, 407; Depauperate zone in, 311  
 Oneota river in northeastern Iowa, 317  
 Ontario, studies of Maquoketa in, 312  
 Orbiculoidea, 384, 392  
 Orchard Creek shale of Missouri, 354  
 Ordovician-Silurian boundary, study of, 327, 356  
 Orthis testudinaria, 363  
 Orthoceras, 383; sociale, 342, 347, 366, 375, 378, 383, 384, 387, 394, 409  
 "Orthoceras beds", 342, 343, 409; of Graf, 375  
 Ossian, exposure near, 336; fossils from, 399

Ostracodes, 347

Owen, D. D., cited, 414; study of Maquoketa shale, 319, 321

## P

*Pachydictya*, 392

Paleontology of the Maquoketa, 370

Paleozoic rocks near Hudson and James bays, 326

*Parastrophia*, 393

Patterson's spring, exposure at, 338, 388, 390

Pebbles from Maquoketa shales, 348; illustr., 437

Pennsylvanian system, relation to Maquoketa, 319, 359, 361, 411

Percival, J. G., cited, 414; study of Maquoketa shale, 321

Perdue, N. J., cited, 413

*Peritocrinus*, 327

*Peronopora decipiens*, 391

Phosphate in Maquoketa beds, 347, 348, 376-381

Phosphate zones, origin, 348

Physiography of Maquoketa area, 313

*Plaesiomys*, see *Dinorthis*

*Platyceras*, 396

*Platystrophia*, 393; *elginensis*, 393

*Plectambonites*, 338, 340, 344; *precosius*, 393; *recedens*, 393; *saxeus*, 393

*Plectrothis (Austinella) whitfieldi*, 392

*Plethospira semele*, 394

*Pleurocystites*, 326; *beckeri*, 391; *clermontensis*, 391

*Pleurotomaria*, 373; (*Lophospira*) *depauperata*, 347, 366, 382-384, 394

*Porocrinus*, 326; *fayettensis*, 391

Postville, exposures near, 332, 382; fossils from, 403, 420

*Prasopora elginensis*, 391

Pratt, W. H., cited, 414

Preston, exposures near, 353; fossil from, 420; structure of beds near, 360

Preston inlier, 318, 328, 361, 411

*Primitia cincinnatiensis*, 384, 395; *gibbera*, 395; *tumidula*, 395

*Priscoschiton*, 384, 393; *elongatus*, 347, 383, 384, 393

*Proboscina auloporoides*, 391; *frondosa*, 391

*Pterinea iowensis*, 393

*Pterygometopus fredricki*, 395

*Ptilodictya*, 392

Pulaski shales of New York, position, 322

## Q

Queenston beds, age, 357

## R

*Rafinesquina altidorsata*, 393; *kingi*, 393; *subquadrata*, 393

Rapid river, Mich., Maquoketa shale on, 362

Raymond, P. E., cited, 335, 414

*Receptaculites* zone, 346

Relief of Maquoketa area, 313

*Rhinidictya*, 384, 392

*Rhombotrypa quadrata*, 392; *subquadrata*, 392

*Rhynchotrema anticostiense*, 393; *capax*, 404; *capax altirostratum*, 393; descr., 403; distr., 405; illustr., 420; *neenah*, 393; *perlamellosum*, 404

Richmond age of Dubuque beds, 345

Richmond basin, connected with Mississippi valley, 325

Richmond beds, age, 309, 357, 358; fauna, 357, 390; of Michigan, 327; age, 310; relation to Maquoketa, 362; of Mississippi valley, 406; of Ohio valley, relations, 368; of Wyoming, fossils in, 409; unconformity, 407

Richmond fauna, origin, 327

Richmond submergence, extent, 357; importance, 325

River valleys, abandoned, 317

Rockville, exposure at, 351

Rominger, Carl, cited, 414; study of Maquoketa shale, 324, 363

Ross, C. S., cited, 348, 356, 415

Rowley, R. R., cited, 414

Ruedemann, Rudolph, cited, 414

## S

St. Donatus, exposure at, 379

*Sactoceras maquoketense*, 394

*Saffordia sulcodorsata*, 393; *ventralis*, 393

*Salpingostoma imbricatum*, 394

Sardeson, F. W., cited, 318, 324, 358, 374, 386, 413, 414; study of Maquoketa shale, 325, 345

Savage, T. E., cited, 312, 318, 348, 349, 350, 353, 356, 360, 368, 383, 398, 415; study of Maquoketa shale, 327, 332, 334; study of rocks near Hudson Bay, 326

Savanna, Ill., exposure at, 345, 350; structure of rocks at, 360

*Sceptropora facula*, 369, 392

*Schizotreta minutula*, 392

Schuchert, Charles, cited, 357, 415-417; study of Maquoketa shale, 325

Scofield, W. H., cited, 416

Seaman, A. E., cited, 414

Sea water, composition, effect on life, 408

Selenite crystals from Brainard shale, 337; illustr., 436

*Serpulites*, 384, 391

Shammattawa limestone, position, 326

Shaw, E. W., cited, 346, 355, 374, 380, 383, 415

- Shaw, James, cited, 415; study of Maquoketa shale, 324
- Shideler, W. H., acknowledgments, 313; cited, 368, 370, 390; study of bryozoa, 311, 390
- Shipton, T. D., fossils from, 380
- Silurian system, relation to Maquoketa, 318
- Sinuities, 346; concinna, 394
- Slocum, A. W., cited, 415; study of Maquoketa shale, 326, 333
- Sny Magill anticline, 360
- Soil, residual, under Maquoketa shale, 349
- Soper, E. K., cited, 413
- Southeast area of Maquoketa shale, 309, 339; deposition in, 409; exposures in, 330, 339; faunal zones in, 370 ff
- Sphaerocoryphe maquoketensis*, 395
- Spatiopora iowensis*, 342, 384, 391
- Spirifer lynx*, 363
- Springer, Frank, cited, 416
- Spring Valley, Minn., fossils from, 406, 420
- Spyroceras calvini*, 394; *clermontense*, 394; cf. *perroti*, 394
- State University of Iowa, fossils at, 397 ff
- Stigmatella incerta*, 392
- Stockton, Ill., exposures at, 344
- Stomatopora arachnoidea*, 391
- Stony Mountain limestone, position, 326
- Strata, uplift of, 411
- Stratigraphy of Maquoketa shale, 318
- Streptelasma*, 391; *angulatum*, 397; *haysii*, 310, 391, 409; *deseri*, 396; *distr.*, 397; *illustr.*, 418; *latusculum* var. *trilobatum*, 397; *trilobatum*, 397
- Strong, Moses, cited, 415
- Strophomena*, 393; *abscissa*, 393; *acuta*, 393; *fluctuosa occidentalis*, 393; *plano-dorsata*, 393
- Structure of Maquoketa shale, 360
- Sygcaulocrinus typus*, 391
- Sylvan fauna, resemblance to Utica fauna, 325
- Sylvan shale of Oklahoma, 311, 325, 407
- T**
- Tennessee, strata in, 369
- Tetradella quadrilirata*, 370, 395; *simplex*, 370, 395
- Tetradium ontario*, 384, 391
- Thomas, A. O., acknowledgments, 313; cited, 341, 389, 415; fossils from, 398; photo by, 314, 385, 388
- Thwaites, F. T., cited, 415
- Topography of Driftless area, 313; of Galena area, 315; of Iowan drift area, 316; of Loess-Kansan area, 316; of Maquoketa area, 315; of Niagaran area, 315
- “Transition beds” above Maquoketa shales, 351
- Trematis*, 392
- Trematopora granulata*, 392
- Trenton faunas, 407
- “Trenton Group” in New York, 320
- Triplecia* bed, 345
- Triplecia (California) ulrichi*, 393
- Trochonema (Eunema) minnesotensis*, 394
- Trowbridge, A. C., cited, 346, 355, 374, 380, 383, 415
- Tully pyrite, dwarf fauna of, 407
- Turgite in Maquoketa beds, 377, 378
- Turkey river, drainage by, 317
- Tysor, Homer J., acknowledgments, 313; fossils from, 398
- U**
- Udden, J. A., cited, 312, 415
- Ulrich, E. O., acknowledgments, 313; cited, 345, 346, 351, 357, 358, 368, 370, 374, 375, 383, 405-407, 415, 417; study of Maquoketa shale, 319, 321, 324, 325, 327
- Ulrichia bivertex*, 384, 395
- Unconformities, evidence of, 345
- Unconformity below Maquoketa, 346, 349
- U. S. National Museum, specimens in, 396 ff
- Uplift of strata, 411
- Upper Elgin beds in the Maquoketa, 371; exposures, 335; fossils from, 387, 401, 420
- Upper Iowa river in northeastern Iowa, 317
- Utah, Fish Haven dolomite in, 326
- Utica fauna, in Mississippi valley, 407; resemblance to Maquoketa, 325
- Utica shales of New York, position, 322
- V**
- Valleys, abandoned, 317
- Van Tuyl, F. M., cited, 415; study of rocks near Hudson Bay, 326
- Vanuxemia bristolensis*, 393
- Vogdesia* beds in the Maquoketa, 371; exposures, 335; fossils from, 387; *illustr.*, 428; origin, 387
- Vogdesia vigilans*, 335, 387, 394
- W**
- Wachsmuth, Charles, cited, 416
- Walcott, C. D., cited, 416
- Walter, Otto, cited, 416; study of Maquoketa shale, 327
- Wapsipinicon formation, relation to Maquoketa, 318
- Wapsipinicon river, drainage by, 317
- Waucoma, limestone at, 350, 352

- Waucoma limestone, character, 350  
Waynesville beds, age, 368; relations, 370  
Weiser, Miss Frances, acknowledgments, 313  
Weller, Stuart, cited, 349, 383, 416  
White, C. A., cited, 416; named Maquoketa shale, 322, 329  
Whitefish river, Mich., Maquoketa on, 362  
**Whitella minnesotensis**, 393; descr., 405; distr., 406; illustr., 420; obliquata, 405; *sterlingensis*, 393  
Whitewater beds, relations, 368-370  
Whitfield, R. P., cited, 416; study of Maquoketa shale, 324  
Whitney, J. D., cited, 383, 413, 416; study of Maquoketa shale, 320, 321, 322  
Whittlesey, Charles, cited, 417  
Williams, I. A., cited, 412  
Wilson, A. G., cited, 417  
Winchell, N. H., cited, 358, 383, 417; study of Maquoketa shale, 319, 321, 324  
Winneshiek county, Depauperate zone in, 375; exposures in, 334-338, 359; fossils from, 397, 399, 401, 405, 418  
Winston, Ill., exposure at, 349  
Winston limestone, character, 349, 350  
Wisconsin, beds in, 319, 322; Dubuque beds in, 345  
Worthen, A. H., cited, 414, 417; study of Maquoketa shale, 322  
"Wykoff Beds" of Sardeson, position, 358; relations, 368  
Wyoming, Big Horn dolomite in, 326; Richmond fossils in, 409
- Z**
- Zaphrentis haysii**, 396  
**Zygospira**, 384, 393; *modesta*, 369, 383